



INDEX MAPS.

T.30N. R.10E. 2<sup>nd</sup> Mer.



T.31N. R.10E. 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

Township N 30 North of Range N 10 East Ind. Indiana

South Boundary

No Corners made until the 2<sup>nd</sup> mile

- West On South Boundary of Sec 35.  
16.00 Set a gr Sec post from which  
a W. Oak 14 in. diam. bears N 71 E 30 links dist 8  
a Do 20 " " " N 70 W 33 " "  
34.20 A Hickory 24 " "  
50.77 Set a post cor. to Sec. 34 & 35 from which  
a Beech 18 in. diam. bears N 26 E 6 links dist 8  
a Do 14 " " " N 65 W 22 " "  
Land not described

- 
- West On South Boundary of Sec 34  
19.74 A W. Oak 23 in. diam.  
40.77 Set a gr Sec post from which  
a Beech 23 in. diam. bears N 13 E 36 links dist 8  
a Do 17 " " " N 59 W 45 " "  
44.68 To the N W line of Racoon Reserve where  
a W. Oak 26 in. diam. bears S 12 W 23 links dist 8  
a Beech 18 " " " N 29 W 30 " "  
50.20 An H. Oak 24 in. diam.  
50.00 Set a Post Cor. to Sec. 33 & 34 from which  
a Beech 9 in. diam. bears N 68 W 15 links dist 8  
a Do 18 " " " N 58 W 47 " "  
Land not described

- 
- West On South Boundary of Sec 33  
2.00 A Stream 18 links wide. Course S W  
5.95 A Beech 20 in. diam.  
31.50 A Stream 28 links wide Course South  
40.00 Set a gr Sec post from which  
a Beech 8 in. diam. bears N 19 E 12 links dist 8  
a Do 12 " " " N 58 W 29 " "  
55.00 A Beech 14 in. diam.  
50.00 Set a Post Cor. to Sec. 32 & 33 from which  
a Beech 19 in. diam. bears N 77 E 26 links dist 8



## T 30 A R 10 E Ind Her Indiana.

a Beech 13 in. diam. bears N 28 W 33 links dist,  
Land not described.

West On South Boundary of Sec 32

9.50 A Beech 18 in. diam.

40.00 Set a g. Sec post from which

a Beech 13 in. diam. bears N 76 E 49 links dist &

a Do 18 " " " N 45 W 50 " "

49.42 A Beech 14 " "

80.00 Set a Post Cor. to Secs 31 & 32 from which

a Beech 6 in. diam. bears N 23 E 19 links dist &

a Do 7 " " " N 67 W 24 " "

Land & not described

West On South Boundary of Sec 31

24.02 A Beech 17 in. diam.

40.00 Set a g. Sec. post from which

a Maple 15 in. diam. bears N 43 E 34 links dist &

a B. Ash 20 " " " N 36 W 33 " "

50.73 A Hickory 36 " "

82.00 Set a Post Cor. to Towns 29 & 30 Ranges 9 & 10

East. Secs 1, 6, 31 & 36 from which

a Blue Ash 17 in. diam. bears N 84 E 23 links dist,

& a Beech 13 " " " N 15 W 3 " "

Land Non-tim. & 2<sup>nd</sup> rate. Timber Beech  
Oak & Hickory.

Surveyed by  
David Willis P.S.

For S. boundary of Secs 34, 35 & 36 in Reg. Sec and of Township

## East Boundary

North On East Boundary of Sec 24 var 6° 25' E.

205.56 Set a Post on the N.W. side of Recoon Village

Reserve from which

Beech 14 in. diam. bears N 76 W 30 links dist &

a Do 8 " " " N 33 W 19 " "

Thence on East side of Sec 24.

T 30. N. R 10 E Ind. Mer. Indiana <sup>3.</sup>

- 10 87 A Beech 12 in. diam.  
 34.44 Set a post cor. to Sec. 13 & 24 from which  
 a Beech 14 in. diam. bears S 31 W 30 links dist. &  
 a Do 17 " " " " N 45 W 19 " "  
 Land level & 2<sup>nd</sup> rate. Timber Ash, Beech, & Oak,  
 Underg<sup>d</sup> the Ironwood & Spice.

North On East Boundary of Sec 13

- 27.99 A Beech 15 in. diam.  
 32.95 A Stream. Course East.  
 40.00 Set a g. Sec post from which  
 a Sugar 10 in. diam. bears S 16 W 43 links dist. &  
 a Beech 10 in. " " " " N 34 W 24 " "  
 70 73 A B. Ash 5 " "  
 80.00 Set a Post Cor. to Sec. 12 & 13 from which  
 a Hickory 7 in. diam. bears S 6 W 44 links dist. &  
 a B. Walnut 3 1/2 in. " " " " N 9 W 23 " "  
 Land & Timber as before. Underg<sup>d</sup> the same

North On East Boundary of Sec 12

- 25.93 A Poplar 35 in. diam.  
 40.00 Set a g. Sec post from which  
 a Burr Oak 5 in. diam. bears S 9 W 24 links dist. &  
 a Buckeye 15 " " " " N 55 W 24 " "  
 64.63 An R. Oak 40 " "  
 80.00 Set a Post Cor. to Sec. 1 & 12 from which  
 a Maple 11 in. diam. bears S 38 W 16 links dist. &  
 a Do 15 " " " " N 16 W 28 " "  
 Land level 2<sup>nd</sup> rate Timber Ash, Beech & Oak,  
 Underg<sup>d</sup> the Ironwood.

North On East Boundary of Sec 1

- 10 35 A Stream 34 links wide. Course S E.  
 25.29 A Beech 11 in. diam.  
 40.00 Set a g. Sec post from which  
 a Beech 14 in. diam. bears S 22 W 12 links dist. & N 3

## T 30 N R 10 E 2nd Mer. Indiana

a B. Ash 9 in. diam. bears N. 75° W. 20 links dist  
 61.88 An Elm 30 " "  
 80.00 Set a Temp<sup>l</sup> Town Corner  
 Land level 1 2<sup>nd</sup> rate. Timber. Beech Oak  
 & Hickory Underg<sup>th</sup> Ironwood. Sugar &  
 Spice.

Apr. 11<sup>th</sup> 1828

Surveyed by

Benj<sup>l</sup> F. Blythe.

Dep Surveyor.

North On Random On East Boundary of the 36  
 Beginning at the intersection of the Range  
 line with the SE Boundary of the Reserve of  
 ten Sec<sup>s</sup> in Raccoon Village.

10.50 Enter Wet Prairie

44.00 Intersect the South Bank of the Canal.

80.00 Set Temp<sup>l</sup> Post for 1<sup>st</sup> mile.

North On Random on East Boundary of Sec 25

44.50 A Stream 20 links wide Course East.

80.00 Set Temp<sup>l</sup> Post for 2<sup>nd</sup> Mile

North On Random On East Boundary of Sec 24

66.00 Intersect the N.W. Boundary of the Reserve of  
 ten Sections 200 links East of the Post.

Run at a Variation of 5° 15' E.

From the Old Post on East side of Sec 24 Run the  
 line (True) on E. side of Sec 24. Var 5° 45' E.

South Between Ranges 10 & 11 East side of Sec 24

5.55 Set a g<sup>l</sup> Sec post from which

a Beech 18 in. diam. bears N. 76° W. 27 links dist &

a Do 10 " " " N. 41° E. 28 " "

16.23 A Beech 36 " "

33.07 A Buckeye 16 " "

45.55 Set a Post Cor. of Sec. 24 & 25 from which

5

T 30 N. R. 10 E Ind. Mer. Indiana

a Beech 10 in. diam. bears N 34 W 32 links dist 8  
 a Do 24 " " " S. 81 W 23 " "  
 Land rolling 2<sup>nd</sup> rate. Timber Beech. Ash  
 Elm. Oak. Hickory. & Gum. Underg<sup>th</sup> Spice. &c.

South On East side of Sec 25  
 15.00 An Ironwood 25 in. diam.  
 29.82 A Beech 22 " "  
 40.00 Set a gr Sec. post from which  
 a Beech 18 in. diam. bears N. 77 W 39 links dist 8  
 a Do 12 " " " S. 27 W 24 " "  
 49.00 A Stream 20 links wide. Course E.  
 50 55 An Ash 12 in. diam.  
 73. 80 A W. Oak 36 " "  
 80.00 Set a Post Cor. to Sec. 25 & 36 from which  
 a W. Oak 36 in. diam. bears N. 39 E. 34 links dist 8  
 a Do 40 " " " S. 18 E. 57 " "  
 Land rolling & 2<sup>nd</sup> rate. North 1/2 Beech  
 timbered Land, South 1/2 thinly timbered  
 with Oak & Hickory. with a thick underg<sup>th</sup>  
 of Oak Hickory & Thorn. Plum. Crab Apple &c

South On East Boundary of Sec 36  
 23. 12 An Elm 18 in. diam.  
 40.00 Set a gr Sec post from which  
 a W. Oak 20 in. diam. bears S 32 E 16 links dist 8  
 No other tree convenient being in an  
 old Indian field  
 81 17 A Post set for township Corner.  
 No posts were set on the Canal bank in  
 the rear of the Canal lots. The Canal in this  
 place being included in Cha pines  
 Reserve  
 North of the Canal thinly timbered with  
 Oak & very brushy. South of the Canal  
 all net Prairie



## T 30 N R 10 E 2nd Mer. Indiana

January 1<sup>st</sup> 1839Surveyed by  
C. Carter D. S.

North Boundary var 6° 25' E  
 West On South Boundary of Sec 35 T 31 N R 10 E  
 14.00 Enter Willow Swamp  
 22.00 Left same  
 24.31 A Hickory 17 in. diam.  
 40.00 Set a gp. Sec post from which  
 a Blue ash 6 in. diam. bears N. 59 E. 12 links dist  
 a B. Ash 8 " " " N. 68 W. 22 " "  
 56.24 A Hickory 16 " "  
 80.00 Set a Post from which (Cor of Sec. 35 & 36)  
 a B. Ash 11 in. diam. bears N. 54 E. 71 links dist  
 & a S. Ash 14 " " " N. 87 W. 50 " "  
 Land level & 2<sup>nd</sup> rate Timber Ash. Oak. &  
 Beech. Underg<sup>th</sup> Spice. Willow & Ironwood.

West On South Boundary of Sec 35 T 31 N R 10 E.  
 12.12 A S. Ash 12 in. diam.  
 34.26 A B. Ash 16 " "  
 35.00 Enter Willow Swamp  
 40.00 Set a gp. the post from which  
 an Aspin 10 in. diam. bears N. 87 E. 11 links dist  
 & a S. Ash 8 " " " N. 73 W. 10 " "  
 44.00 Left the Swamp  
 55.44 A W. Oak 24 in. diam.  
 72.68 A Do 32 " "  
 80.00 Set a Post cor. to Sec. 34 & 35 from which  
 a W. Oak 26 in. diam. bears N. 54 E. 47 lks. dist  
 & a Poplar 6 " " " N. 42 W. 22 " "  
 Land level & 2<sup>nd</sup> rate Timber Ash Oak  
 & Beech. Underg<sup>th</sup> Ash. Ironwood & Spice

West On South side of Sec 34 T 31 N R 10 E  
 65.50 Enter Swamp Prairie



T 30 N. R. 10 E. 2nd Mer. Indiana

21. 00 Left the swamp  
 28. 77 A W. Oak 24 in. diam.  
 40. 00 Set a gr Sec post from which  
 a B. Ash 4 in. diam. bears N. 81 E. 6 links dist. &  
 an Elm 12 " " " N. 54 W. 9 " "  
 44. 00 Enter Maple & Willow swamp.  
 55. 48 A S. Ash 12 in. diam.  
 59. 00 Left the swamp.  
 67. 23 A B. Oak 24 in. diam.  
 80. 00 Set a Post cor. to Sec. 33 & 34 from which  
 a Maple 21 in. diam. bears N. 20 E. 27 links dist.  
 & a Do 5 " " " N. 74 W. 11 " "  
 Sand level 2nd rate. Timber. Maple & S. Ash.  
 Undergr. as before.

W. 1/2 On South Boundary of Sec 33 T 31 S R. 10 E.

12. 57 An Elm 12 in. diam.  
 30. 10 A B. Ash 40 " "  
 40. 00 Set a gr. Sec post from which  
 a B. Ash 5 in. diam. bears N. 86 E. 37 links dist. &  
 an Elm 7 " " " N. 39 W. 7 " "  
 59. 55 A Buck 14 " "  
 75. 71 A Do 24 " "  
 80. 00 Set a Post Cor. to Sec. 32 & 33 from which  
 a Buck 27 in. diam. bears N. 47 E. 20 links dist. &  
 a Do 11 " " " N. 32 W. 12 " "  
 Sand &c as before

W. 1/2 On South Boundary of Sec 32 T 31 S R. 10 E.

11. 10 A Buckeye 12 in. diam.  
 40. 00 Set a gr. Sec post from which  
 a Hickory 22 in. diam. bears N. 83 E. 5 links dist. &  
 an Elm 4 " " " N. 6 W. 4 " "  
 52. 35 A Hickory 16 " "  
 80. 00 Set a Post Cor. to Sec. 31 & 32 from which  
 a Hickory 14 in. diam. bears N. 49 E. 53 links dist. &

## T 30 N R 10 E Ind. Mer. Indiana

a Hickory 12 in. diam. bears N. 15 W. 3 7/8 links dist.  
 Sand level Ind. rate. Timber. Beech Ash.  
 & Oak. Underg<sup>th</sup> Ironwood & Spice

West On South Boundary of Sec 31 T 31 N R 10 E  
 19.70 A Hickory 19 in. diam.  
 40.00 Set a q. Sec post from which  
 a Beech 10 in. diam. bears N. 81 E. 38 links dist &  
 a Dogwood 5 " " " N. 34 W. 23 " "  
 60.43 A Hickory 20 " "  
 69.16 A B. Ash 14 in. diam.  
 73.73 Intersect the North Boundary 150 links  
 South of post. Set a post Cor. to Ranges 9 & 10  
 East Towns 30 & 31 N. Sec. 1. S. 31 & 30  
 from which  
 a Maple 5 in. diam. bears N. 18 E. 14 links dist &  
 a Willow 12 " " " N. 77 W. 32 " "  
 Land &c same  
 Apr. 19<sup>th</sup> 1828. Surveyed by  
 Benj. J. Blythe D<sup>r</sup>

West Boundary  
 North On East Boundary of Sec 36. T 30 N R 9 E.  
 27.61 A Beech 20 in. diam.  
 40.00 Set a q. Sec post from which  
 a Sugar 5 in. diam. bears S. 3 W. 4 7/8 links dist &  
 a Beech 15 " " " N. 46 W. 27 " "  
 60.74 An S. Ash 17 in. diam.  
 80.00 Set a Post Cor. to Sec. 25 & 36 from which  
 a Sugar 13 in. diam. bears S. 18 W. 52 links dist &  
 a R. Oak 24 " " " N. 82 W. 38 " "  
 Land not described

North On East Boundary of Sec 25. T 30 N R 9 E.  
 30.47 A Blue Ash 4 1/2 in. diam.  
 40.00 Set a q. Sec post from which

T 30 N R 10 E 2nd Mer. Indiana 9

an Elm 4 in. diam. bears S 19° W. 14 links dist. &  
 a Do 3 " " " N. 27° W. 8 " "  
 63.79 A Beech 18 " "  
 80.00 Set a Post cor. to Sec. 24 & 25 from which  
 a Buckeye 16 in. diam. bears S 37° W. 3 links dist. &  
 a Beech 14 " " " N. 39° W. 29 " "  
 Land &c same as last mile.

North On East Boundary of Sec 24. T 30 N R 9 E.  
 26.95 A W. Oak 54 in. diam.  
 40.00 Set a gr. Sec post from which  
 a W. Oak 21 in. diam. bears S 34° W. 8 links dist. &  
 a Dogwood 5 " " " N. 27° W. 30 " "  
 62.16 A W. Oak 40 " "  
 80.00 Set a Post Cor. to Sec. 13 & 24 from which  
 a Beech 6 in. diam. bears S 12° W. 38 links dist. &  
 a Buckeye 5 " " " N. 56° W. 2 " "  
 Land &c not described

North On East Boundary of Sec 13 T 30 N R 9 E.  
 28.33 A B. Ash 20 in. diam.  
 40.00 Set a gr. Sec post from which  
 a Beech 7 in. diam. bears S 38° W. 13 links dist. &  
 a Do 8 " " " N. 27° W. 38 " "  
 65.63 A Blue Ash 17 in. diam.  
 80.00 Set a Post Cor. to Sec. 12 & 13 from which  
 a Buckeye 6 in. diam. bears S 4° W. 23 links dist. &  
 a Do 10 " " " N. 30° W. 33 " "  
 Land &c same as last

North On East Boundary of Sec 12. T 30 N R 9 E  
 26.91 A Beech 36 in. diam.  
 40.00 Set a gr. Sec post from which  
 a B. Ash 10 in. diam. bears S 65° W. 83 links dist. &  
 an Elm 8 " " " N. 70° W. 20 " "  
 54.74 A B. Walnut 17 in. diam.

## T 30 N. R 10 E 2nd Mer. Indiana.

80.00 Set a Post cor. to Sec. 10 & 12 from which  
 a W. Oak 17 in. diam. bears S 8 W 33 links dist. &  
 an Elm 14 " " " N 32 W 39 " "  
 Land not described

North On East Boundary of Sec 1 T 30 N. R 9 E.  
 1.00 To Miller Swamp

25.50 Left same

30.50 A Maple 17 in. diam.

40.00 Set a gr. Sec. post from which  
 a Hickory 6 in. diam. bears S 34 W 3 links dist. &  
 a B. Ash 14 " " " N 10 W 30 " "

59.45 An Ironwood 7 in. diam?

75.00 To Swamp

80.00 Set a Temp. Post Cor. to Towns 30 & 31 Ranges  
 9 & 10 East in swamp.

Land level 2nd rate. Timber. Beech. B. Ash  
 & Oak. Underg. Spice. Dogwood & Ironwood  
 November 17<sup>th</sup> 1828.

Surveyed by  
 David Willis D.S.

## Subdivisions.

East On Town line between Sec. 3 & 34

35.30 Intersect the line of Reserve Sec post. where  
 a W. Oak 26 in. diam. bears S 12 W 23 links dist.  
 & a Beech 18 " " " N 29 W 50 " "

North Between Sec. 33 & 34

6.80 A Sugar 12 in. diam.

40.00 Set a gr. Sec. post from which  
 a Sugar 30 in. diam. bears S 81 W 10 links dist. &  
 an Elm 6 " " " S 51 E 13 " "

58.50 To Swamp

63.00 Left same

88.75 A W. Oak 26 in. diam.



# T 30 N. R 10 E. Ind. Indiana.

11

80.00 Set a Post cor. to Sec. 27. 28. 33 & 34 from which  
an Elm 24 in. diam. bears N 31 E 23 links dist &  
an Ash 8 " " " S. 10 W. 25 " "  
Land rolling & 2<sup>nd</sup> rate. Timber Beech & Elm.  
Underg<sup>th</sup> Spice & Beech.

East Between Sec. 27 & 34  
13.80 A W. Oak 20 in. diam.  
24.00 To Pond  
33.00 Left the same  
40.00 Set a 2<sup>nd</sup> Sec post from which  
an Elm 6 in. diam. bears S. 20 E. 7 links dist &  
an Ironwood 8 in. " " N. 50 W. 23 " "  
53.75 A B. Oak 12 " "  
80.00 Set a Post cor. to Sec. 25. 27. 33 & 34 from which  
a Hickory 12 in. diam. bears N. 64 E 33 links dist &  
a Beech 5 " " " S. 75 W. 23 " "  
Land level & 2<sup>nd</sup> rate. Timber. Beech Ash  
& Hickory. Underg<sup>th</sup> Spice. Ash & Beech

East On Random between Sec. 26 & 35  
10.63 A W. Oak 10 in. diam.  
35.00 Intersect the Boundary of the Reserve &  
set a Post from which  
a W. Oak 24 in. diam. bears N. 83 E. 7 links dist &  
a Do 24 " " " N. 46 W. 37 " "  
Land level & 3<sup>rd</sup> rate. Timber W. Oak.  
Underg<sup>th</sup> Oak & Beech.

South Between Sec. 34 & 35  
6.16 A W. Oak 20 in. diam.  
34.62 To line of the Reserve & set a Post from which  
(Cor. to Sec. 34 & 35)  
an Elm 12 in. diam. bears N. 80 W. 32 links dist &  
a Do 6 " " " N. 20 W. 17 " "  
Land level & 3<sup>rd</sup> rate. Timber Elm



## S 30 N. R. 10 E Ind. Mer. Indiana.

North	Between Sec. 26 & 27	May 19 <sup>th</sup> 1828
9.50	To Swamp	
12.50	Left same	
19.37	A B. Oak 12 in. diam.	
40.00	Set a q. Sec. post from which a Beech 30 in. diam. bears S. 55 E. 8 links dist. & a Water Beech 6 in. " " N. 10 E. 27 " "	
54.00	A Beech 12 " "	
80.00	Set a Post Cor. to Sec. 22. 23 26 & 27 from which an Elm 10 in. diam. bears S. 19 E. 27 links dist. & a Poplar 10 " " " N. 34 W. 19 " " Land rolling undulate. Timber. Beech. Ash. & Elm. Underg <sup>th</sup> Spice	
East	Between Sec. 23 & 26	
10.15	An Ash 24 in. diam.	
40.00	Set a q. Sec. post from which a Hickory 40 in. diam. bears S. 61 E. 22 link dist. a Spruce 30 " " " N. 39 W. 22 " "	
60.23	A Beech 18 " "	
80.00	Set a Post Cor. to Sec. 23. 24 25 & 26 from which an Ash 6 in. diam. bears S. 83 E. 16 links dist. & an Ironwood 6 " " " N. 89 W. 17 " " Land & Timber as before	
East	Between Sec. 24 & 25.	
9.50	A Stream 8 links wide Course South.	
9.75	An Elm 24 in. diam.	
35.00	To Reserve line & set a Post Cor. to Sec. 24 & 25 from which a Beech 6 in. diam. bears S. 40 W. 21 links dist. & a Do 10 " " " N. 11 E. 20 " " Land &c as before	
South	Between Sec. 23 & 26	
21.50	A Poplar 24 in. diam.	

13

T 30 N R 10 E Ind Mer. Indiana

34. 79 Intersect the line of the Reserve & Set a post  
from which  
a Hickory 12 in. diam. bears N. 40° W. 19 links dist,  
An Ironwood 6 " " " S. 34° W. 15 " "  
Land & Timber as before

North Between Sec. 23 & 24

7. 00 A Stream 15 links wide. Course S E

15. 75 An Elm 12 in. diam.

40. 00 Set a g. sec. post from which  
a Beech 30 in. diam. bears North 16 links dist, &  
a Sugar 6 " " " S. 21° E 20 " "

53. 40 An Ash 36 " "

80. 00 Set a Post cor. to Sec. 13. 14. 23 & 24 from which  
a Hickory 15 in. diam. bears N 59° E 4 links dist, &  
a D. 24 " " " S 63° W 7 " "  
Land &c same as above

East On Range between Sec. 13 & 24

40. 00 Set a Temp. g. sec. Post.

77. 50 Intersect the E. Boundary 3 ch. + 72 links south  
of the Post.

Land &c same as last mile

West Corrected between Sec. 13 & 24

38. 75 Set a Post at cross dist. from which  
an Elm 12 in. diam. bears N 78° E 6 links dist, &  
a Water Beech 6 " " " N. 71° W 16 " "

77. 50 To the Corner

North Between Sec. 13 & 14

18. 00 An Ash 30 in. diam.

40. 00 Set a g. sec. post. from which  
a Poplar 2 1/2 in. diam. bears N. 46° E. 26 links dist, &  
a Water Beech 10 " " " S. 51° W. 10 " "

57. 20 A Beech 30 " "

80.00 Set a Post Cor to Sec. 11. 12. 13 & 14 from which  
an Ash 20 in. diam. bears S. 20 E. 24 links dist &  
a S. Ash 20 " " " S. 20 E. 13 " "  
Land &c. as before.

East On Random between Sec. 12 & 13

40.00 Set a Temp<sup>y</sup> q<sup>r</sup> Sec post.

77.00 Intersect the East Boundary 4 chains & 70  
links south of the post.  
Land & Timber as before.

West Corrected between Sec. 12 & 13

38.50 Set a q<sup>r</sup> Sec post from which (on true line)  
a Sycamore 12 in. diam. bears N. 12 W. 25 lks. dist &  
an Elm 8 " " " S. 47 W. 9 " "

77.00 To the Corner

North Between Sec. 11 & 12

27.25 A Beech 12 in. diam.

40.00 Set a q<sup>r</sup> Sec post from which  
an Elm 12 in. diam. bears S. 36 W. 9 links dist &  
a Sugar 18 " " " S. 00 E. 38 " "

45.50 To Land

47.50 Left same

63.00 A W. Oak 24 in. diam.

80.00 Set a Post Cor. to Sec. 1. 2. 11. & 12 in swamps  
from which  
an Ash 12 in. diam. bears S. 12 W. 20 links dist &  
a Ash 10 " " " S. 36 E. 23 " "  
Land level & 3. rate. Timber Ash & Beech  
Underg<sup>th</sup> Spice & y<sup>l</sup>sh.

East On Random between Sec. 1 & 12

40.00 Set a Temp<sup>y</sup> q<sup>r</sup> Sec post.

76.79 Intersect the E. Boundary 6.50 North of the Post  
Land &c same as last mile

T 30 N. R 10 E 2nd Mer. Indiana. 15

West Corrected between Secs. 14 & 23  
 38. 39 Set a gr. Sec. post at aver. dist. from which  
 an Ash 10 in. diam. bears N 5 W 15 links dist. &  
 a Beech 5 " " " S 14 E 38 " "  
 75 79 To Sec. Corner

North Between Secs. 22 & 23  
 27. 20 An Elm 25 in. diam.  
 45. 00 Set a gr. Sec. post from which  
 a W. Oak 60 in. diam. bears S 83 E 27 links dist. &  
 an Elm 12 " " " N 9 W 14 " "  
 53. 09 A Beech 14 " "  
 80. 00 Set a Post Cor to Secs. 14. 15. 22 & 23. from which  
 an Elm 10 in. diam. bears N 13 E 04 links dist. &  
 a Gr. 12 " " " S 22 E 17 " "  
 Land level 2<sup>nd</sup> rate. Timber. Beech. Ash  
 Elm. &c. Underg<sup>th</sup> Spice. &c

East On Random between Secs. 14 & 23  
 5. 00 Pond  
 10. 00 Left same  
 10. 00 Set a Temporary gr. Sec. post.  
 80. 39 Intersect the N 13 line 100 links South of Post.  
 Land level 3<sup>rd</sup> rate. Timber. Beech & Ash.  
 Underg<sup>th</sup> Spice & Ash.

West Corrected between Secs. 14 & 23  
 40. 19 Set a gr. Sec. post at aver. dist. from which  
 an Ironwood 5 in. diam. bears S 12 E 26 links dist. &  
 a Gr. 4 " " " N 88 W 20 " "  
 80 39 To Sec. Corner.

North Between Secs. 14 & 15  
 15. 50 To Pond  
 20. 00 Left same  
 24. 00 A Beech 15 in. diam.



40.00 Set a g. Sec post from which  
 a Gyn 12 in. diam. bears N 77 E 6 links dist. &  
 an Ironwood 4 " " " S 85 W 12 " "

44.29 A W Oak 30 in. diam

73.00 To Pond

76.00 Left same

80.00 Set a Post cor. to Sec. 10 11. 14 15 from which  
 a W Oak 10 in. diam. bears S 13 E 3 links dist. &  
 a D 12 " " " N 13 W 20 " "  
 Land level & 3 rate Timber Beech. Maple.  
 S. Ash. & Underg. the Spice &c.

East On Random between Sec. 11 & 14

18.50 To Pond

28.00 Left same

36.50 To Swamp

40.00 Set a Temp. g. Sec post.

56.00 Left Swamp

59.00 Left D.

80 18 Intersect the N & S line 1.36 links South of the  
 Post. Land level & 3 rate Timber. S. Ash  
 Elm. Gyn & W. Beech. Underg. Willow &c.

West Corrected between Sec. 11 & 14

40 09 Set a g. Sec post at aver. dist. from which  
 a Maple 12 in. diam. bears N 53 W 4 links dist. &  
 80 18 To the Corner

North Between Sec. 10 & 11

10 00 To Pond

17.50 Left same

25 15 An Elm 12 in. diam.

40.00 Set a g. Sec post from which  
 an Ash 6 in. diam. bears S 31 E 32 links dist.  
 & a W Oak 30 " " " N 17 E 10 " "

68 50 A Beech 12 " " "



T 30 N. R 10 E 2nd Mer. Indiana<sup>17</sup>

80.00 Set a Post Cor. to Sec. 2, 3. 10<sup>th</sup> 11 from which  
an Ash 12 in. diam. bears N 11 W 7 links dist. &  
a Beech 12 " " " S 7 E 12 " "  
Land level 3<sup>rd</sup> rate. Timber. Beech. S. Ash. Elm  
&c. Underg<sup>th</sup> Willow Spice & P. Ash.

East On Random between Sec. 2 & 11  
40.00 Set a Temp<sup>th</sup> gr. Sec post  
79.60 Intersect the N & S line 2.27 links South of Post  
Land level 4<sup>th</sup> rate. Timber. Beech. S. Ash  
Maple &c. Underg<sup>th</sup> P. Ash. &c

West Corrected between Sec. 2 & 11  
39.80 Set a gr. Sec post at corr. dist. from which  
a Beech 14 in. diam. bears S. 18 E 26 links dist. &  
an Ash 7 " " " N 12 E 25 " "  
79.60 To Sec Corner

North Between Sec. 1 & 2  
31.00 A Beech 12 in. diam.  
40.00 Set a gr. Sec post from which  
a Buckeye 12 in. diam. bears N. 53 W 22 lks. dist  
& a Beech 14 " " " S. 17 E 48 " "  
63.43 A Beech 12 " "  
80.00 Set a Temp<sup>th</sup> mile post  
Land. 1<sup>st</sup> 1/2 mile rolling 2<sup>nd</sup> rate East 1/3 rate.

North Between Sec. 2 & 3  
15.50 An Ash 24 in. diam.  
40.00 Set a gr. Sec. post from which  
an Ash 12 in. diam. bears N. 44 E 27 links dist. &  
a Beech 14 " " " S 53 W 20 " "  
53.33 An Ash 30 " "  
60 96 Intersect the North Boundary 3 ch. & 95 links  
East of the Post. Set a Post Cor to Sec. 2 & 3  
from which

## T 30 N. R 10 E 2nd Mer Indiana

at Elm 6 in. diam. bearing East 3 lks. dist.  
 a Maple 4 in. diam. bears West 5 links dist &  
 Land first 1/2 rolling 2nd rate. Last 1/4 flat 3rd rate  
 Timber. Buch. Ash. Underg<sup>th</sup> Spice & D. Ash  
 May 21<sup>st</sup> 1828

North Between Secs 27 & 28  
 20.78 A W. Oak 30 in. diam.  
 40.00 Set a gr. Sec post from which  
 an Ironwood 6 in. diam. bears S 62 E 16 links dist  
 & a Sycamore 30 " " " S 70 W 19 " "  
 73.81 A Maple 20 " "  
 80.00 Set a Post Cor. to Secs 21, 22, 27 & 28 from which  
 an S. Ash 6 in. diam. bears S 1 E 18 links dist, &  
 a Maple 6 " " " N. 49 E 15 " "  
 Land level & 3rd rate. Timber. Maple. S. Ash &  
 Buch. &c. Underg<sup>th</sup> D. Ash & Willow.

East On Random between Secs 22 & 27  
 40.00 Set a Trump<sup>th</sup> gr. Sec. post  
 79.40 Intersect the N. & S line 54 links North of the Post.  
 Land level & 2nd rate. Timber. Buch & Hickory  
 Underg<sup>th</sup> Ash, &c.

West Corrected between Secs 22 & 27  
 39.70 Set a gr. Sec. post at aver. dist from which  
 a W. Oak 48 in. diam. bears N. 13 W. 18 links dist, &  
 a Buch 12 " " " S. 50 E 5 " "  
 79.40 To Sec. corner.

North Between Secs 21 & 22  
 38.85 A Buch 10 in. diam.  
 40.00 Set a gr. Sec post from which  
 an Ash 30 in. diam. bears S 44 E 20 links dist &  
 a Buch 6 " " " N. 9 W. 15 " "  
 45.23 A Do 30 " "  
 66.00 To Swamp.

19

T 30 N. R 10 E 2<sup>nd</sup> Mer. Indiana,

71.50	Left Swamp
76.50	Do
80.00	Set a Post in Swamp. Land level & 3 <sup>rd</sup> rate. Timber. Beech. Hickory & Elm. Underg <sup>th</sup> Willow Ash &c.
<hr/>	
East	On Random between Sec. 15 & 22
2.50	Left the Swamp
10.00	Set Temp <sup>y</sup> q. Sec. post
80.00	Intersect the N & S line 1.08 links S. of the Post Land level 2 <sup>nd</sup> rate. Timber. Beech. S. Ash. &c. Underg <sup>th</sup> S. Ash.
<hr/>	
West	Corrected between Sec. 15 & 22
40.00	Set a q. Sec post on true line from which a Beech 12 in! diam. bears N 43 E 11 links dist, & a Hickory 14 " " " S 30 E 15 " "
80.00	To Sec. Corner
<hr/>	
North	Between Sec. 15 & 16
3.00	Left the Swamp
7.00	Swamp.
15.00	Left same
22.50	Enter Do.
24.50	Left same
25.70	A W. Oak 24 in! diam?
40.00	Set a q. Sec post from which a Hickory 6 in! diam. bears S 53 E 13 links dist, & a Chenwood 4 " " " N 53 W 16 " "
57.80	A Beech 16 " "
78.00	To Swamp
80.00	Set a Post Cor to Sec. 9. 10 15 & 16 from which Willow 6 in! diam. bears North 4 links dist & a. Land level & 3 <sup>rd</sup> rate. Timber Ash Beech. &c. Underg <sup>th</sup> Ash. Willow. & Spice.

East On a Random between Sec. 10 & 15  
 15. 00 Left the Swamp  
 38. 00 The Swamp an insuperable obstacle

West Corrected between Sec. 10 & 15  
 38. 00 To Sec. Corner

North Between Sec. 32 & 33  
 12. 28 A Beech 12 in. diam.  
 29. 00 A Stream 8 links wide. Course S. E.  
 40. 00 Set a gr. Sec post from which  
 a Beech 24 in. diam. bears N. 30 W. 54 lks. dist. &  
 an Ironwood 4 " " " S 30 E. 7 " "  
 57. 07 A Beech 12 " "  
 80. 00 Set a Post Cor. to Sec. 28. 29 32 & 33 from which  
 a Beech 18 in. diam. bears S 35 E 39 links dist. &  
 a Do 26 " " " N. 23 W. 10 " "  
 Land rolling 2nd rate Underg<sup>th</sup> Spice & Ash.

East On Random between Sec. 28 & 33  
 40. 00 Set a Temp<sup>y</sup> gr. Sec post  
 57. 50 To Swamp  
 75 50 Left same  
 79. 20 Intersect the N & S line 18 links South of Post.  
 Land level 2nd rate. Timber. Beech. Elm.  
 Syc. Underg<sup>th</sup> Spice & Ash

West Corrected between Sec. 28 & 33 May 22<sup>d</sup> 1828.  
 39. 00 Set a post at aver. dist from which  
 a Beech 24 in. diam. bears N. 22 E. 48 links dist. &  
 a Hickory 6 " " " S. 68 W. 15 " "  
 79. 20 To Sec. Corner

North Between Sec. 28 & 29  
 12. 58 A Beech 10 in. diam.  
 46. 17 Set a gr. Sec post from which



T 35. 1/4 R 16 E Ind. Mer. Indiana 21

a S. Ash 4 in. diam. bears S 9 E 7 links dist. &  
an Elm 12 " " " N 51 E 6 " "  
52.50 A W. Oak 10 " "  
71.00 A Pond  
74.00 Left same  
80.00 Set a Post Cent. to Sec. 20. 21. 28 & 29 from which  
an S. Ash 10 in. diam. bears S 13 E 4 links dist. &  
a " Do. 5 " " " N 5 W. 11 " "  
Land 1 1/4 mile Rolling, 2nd rate, last 1/2 3rd rate  
Timber. Beech. S. Ash. Elm. & Underg.  
Spice & Ash.

West Corrected between Sec. 21 & 28  
39.41 Set a Post at aver. dist. from which  
a Hickory 8 in. diam. bears S 61 W. 20 links dist. &  
a W. Oak 10 " " " N 20 E. 15 " "  
78.89 So Sec. corner

East On Random between Sec. 21 & 28  
40.00 Set a Temp. & see post.  
42.00 Left the Pond  
78.83 Intersect the N & S line 68 links South of Post.  
Land level & 3rd rate. Timber. S. Ash & Hickory  
Underg. Ash & Spice.

North Between Sec. 20 & 21  
3.00 Enter Swamp  
15.00 Left same  
17.29 Enter An Elm 12 in. diam.  
40.00 Set a gr. the post from which  
a Buckeye 2 1/2 in. diam. bears N 52 W. 16 links dist. &  
a Buckeye 12 " " " S 86 E 12 " "  
65.38 A W. Oak 8 " "  
80.00 Set a Post Cent. to Sec. 16. 17. 20 & 21 from which  
a W. Oak 36 in. diam. bears N 61 W. 15 links dist. &  
a Do 26 " " " S 22 E. 25 " "



## S 30 N. R 10 E Ind. Mer. Indiana

Land level & 2<sup>nd</sup> rate. Timber. Oak. Hickory  
Beech. Elm. &c. Underg<sup>th</sup> Spice & Ash.

East On Random between Secs 16 & 21

40.00 Set a Temp<sup>ry</sup> q<sup>r</sup> Sec post.

78.79 Intersect the N & S line 10 links South of the Post.  
Land level & 3<sup>rd</sup> rate. Timber. Beech & S. Ash  
Sycam Elm. &c. Underg<sup>th</sup> Spice & P. Ash.

West Corrected between Secs 16 & 21

39.39 Set a q<sup>r</sup> Sec. post at a ver. dist from which  
an Elm 6 in. diam. bears N. 22 W. 8 links dist. &  
a Maple 24 " " " S 73 W 19 " "

78.79 To Sec. corner

North Between Secs 16 & 17

22.11 A Beech 36 in. diam.

40.00 Set a q<sup>r</sup> Sec post from which  
a W. Oak 30 in. diam. bears N 68 E 20 links dist. &  
a Ch 15 " " " S. 15 W. 9 " "

80.00 Set a Post Cor. to Secs 8. 9. 10 & 11 from which  
a Water Beech 6 in. diam. bears N 77 E 6 links dist. &  
a Buckeye 8 " " " S. 77 W. 2 " "  
Land rolling & 2<sup>nd</sup> rate. Timber Beech. Elm. &  
Oak. Underg<sup>th</sup> Spice.

East On Random between Secs 9 & 16

40.00 Set a Temp<sup>ry</sup> q<sup>r</sup> Sec. post

61.50 Enter Swamp

78.70 Intersect the N & S line 9 links South of the Post.  
Land level. 2<sup>nd</sup> rate. Timber Ash. Elm. Oak.  
&c. Underg<sup>th</sup> Spice. Ash. &c.

West Corrected between Secs 9 & 16

39.35 Set a q<sup>r</sup> Sec post at a ver. dist. from which  
a Sugar 6 in. diam. bears S 62 E 13 links dist. &

78.70 a Sugar - in! diam! bears N 62 W 7 links dist.  
To Sec. Corner May 23, 1828.

North Between Secs. 31 & 32

18.30 A Beech 20 in! diam!

40.00 Set a gr. Sec post from which  
a Beech 12 in! diam! bears S 45 E 23 links dist. &  
an Ash 36 " " " North 2 " "

69.28 A Beech 20 " "

80.00 Set a Post Cor. to Secs. 29, 30, 31 & 32 from which  
a Beech 4 in! diam! bears N 82 W 30 links dist. &  
a W. Oak 15 " " " N. 72 E 31 " "

Land rolling 2nd rate. Timber. Beech & Ash.  
Underg<sup>th</sup> Spice & Ash.

East On Random between Secs. 29 & 32

40.00 Set a Temp<sup>y</sup> gr. Sec post.

80.22 Intersect the N & S line 71 links South of the Post.  
Land Rolling 2nd rate. Timber. Beech. Ash &  
Hickory. Elm. &c. Underg<sup>th</sup> Spice & Ash.

West Corrected between Secs. 29 & 32

40.11 Set a gr. Sec post at aver. dist. from which  
a Beech 24 in! diam! bears N 77 W 20 links dist. &  
a Do 20 " " " S 34 E 45 " "

80.22 To Sec. Corner

West Between Secs. 30 & 31

24.50 A Beech 20 in! diam!

40.00 Set a gr. Sec post from which  
a Beech 15 in! diam! bears S 67 W 33 links dist. &  
a Do 24 " " " S 87 E 47 " "

60.60 A W. Oak 28 " "

74.00 Swamp

80.00 Left same

81.47 Intersect the West Boundary 38 links South of Post

## T 30 N. R 10 E Ind. Mer. Indiana

from which  
 an Ironwood 6 in. diam. bears N 45 E 10 links dist. &  
 a Sugar 15 " " " S. 53 N. 21 " "  
 Land rolling 2<sup>nd</sup> rate. Timber. Beech. Ash.  
 Lynn. &c. Underg<sup>th</sup>. Spice. Ash. Maple & Oak.

North Between Sec. 29 & 30

13.00 To Swamp

16.00 Left the Swamp

40.00 A B. Oak 12 in. diam.

40.00 Set a g. See post from which  
 an Ash 12 in. diam. bears N. 51 E. 17 links dist. &  
 a Beech 8 " " " S 15 N 8 " "

56.34 A D 40 " "

80.00 A Lynn 4 " " Cor. to Sec. 19. 20. 29 & 30  
 from which

a Beech 12 in. diam. bears S. 33 E. 29 links dist. &  
 a Lynn 30 " " " West 2 " "  
 Land rolling 4<sup>th</sup> rate. Timber. Beech. Ash.  
 Lynn. Elm. &c. Underg<sup>th</sup>. Spice & Ash.

East On Random between Sec. 20 & 29

20.00 To Swamp

28.00 Left D

40.00 Set a Temp<sup>th</sup> g. See post

80.32 Intersect the N & S line 68 links South of the Post.  
 Land level 4<sup>th</sup> rate. Timber Lynn. Elm.  
 S. Ash. &c. Underg<sup>th</sup>. Spice. P. Ash & Willow.

West Connected between Sec. 20 & 29.

40.16 Set a g. See post at over dist. from which  
 a Beech 12 in. diam. bears N. 12 E. 53 links dist. &  
 a Lynn 26 " " " S. 1 E. 17 " "

80.32 To Sec. Corner

West Between Sec. 19 & 30

14. 60 An Ash 12 in. diam.  
 40. 00 Set a gr. Sec post from which  
 an Elm 48 in. diam. bears N 75 W 28 links dist. &  
 an Oak 48 " " " N 60 E 8 " "  
 58. 80 A Lynn 10 " "  
 80 93 Intersect the West Boundary 65 links South of  
 the Post. Set a Post Cor. to Sec. 19 & 30  
 from which.  
 a Beech 15 in. diam. bears N 65 E 28 links dist. &  
 an Ash 14 " " " N 88 W 31 " "  
 Land Rolling & 2<sup>nd</sup> rate Timber. Ash. Beech. Lynn  
 &c. Underg<sup>th</sup>. Spice &c.

North Between Sec. 19 & 20  
 18. 70 An Ash 15 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a W. Oak 30 in. diam. bears North 31 links dist. &  
 an Ash 10 " " " S. 33 W. 26 " "  
 56. 30 An Ash 26  
 80. 00 Set a Post Corner to Sec. 17 18. 19 & 20 from which  
 a Beech 15 in. diam. bears S. 4 W. 29 links dist. &  
 a Do 12 " " " N. 77 W. 43 " "  
 Land rolling & 2<sup>nd</sup> rate. Timber. Ash. Beech  
 Lynn, Elm, Oak, &c. Underg<sup>th</sup>. Spice & Ash.

West Between Sec. 18 & 19  
 14. 60 An Elm 36 in. diam.  
 15. 50 To pond  
 19. 50 Left same  
 40. 00 Set a gr. Sec post from which  
 a Beech 10 in. diam. bears S. 12 W. 8 links dist. &  
 a Do 26 " " " N. 77 W. 31 " "  
 45. 00 To Swamp  
 48. 50 Left same  
 57. 50 To Swamp  
 58. 00 Left same.



65-59 A Beech 12 in. diam.  
 80-21 Intersect the West Boundary 25 links South of  
 the Post. Set a Post Cent. to Sec. 18 & 19 from which  
 a Beech 6 in. diam. bears S. 83 E. 10 links dist. &  
 a Sugar 6 " " " N. 57 W. 21 " "  
 Land level & 3 rate. Timber. Ash & Beech. Underg.  
 Spice. S. Ash & Willow

East On Random between Sec. 17 & 20  
 40.00 Set a Temp. P. of Sec. post.  
 80.00 Intersect the V & S line 25 links South of Post.  
 Land level & 3 rate. Timber. Beech. S. Ash.  
 Elm. Syc. & Underg. Spice. S. Ash. Syc.  
 May 24<sup>th</sup> 1828.

West Corrected between Sec. 17 & 20  
 40.00 Set a g. the post on true line from which  
 a W. Oak 24 in. diam. bears N. 39 E. 11 links dist. &  
 a C. 24 " " " N. 86 W. 25 " "  
 80.00 To the Corner

North Between Sec. 17 & 18  
 16.93 A W. Oak 36 in. diam.  
 19.50 To Swamp  
 27.50 Left the same  
 40.00 Set a g. the post from which  
 a Beech 16 in. diam. bears N. 42 W. 18 links dist. &  
 a Ash 5 " " " S. 15 E. 22 " "  
 59.50 A W. Oak 36 " "  
 80.00 Set a Post Cent. to Sec. 7. 8. 17 & 18 from which  
 a Beech 10 in. diam. bears N. 43 E. 25 links dist. &  
 an Ironwood 6 " " " South 7 " "  
 Land level 2<sup>nd</sup> rate. Timber. Beech. Elm. Oak.  
 Underg. Spice. Ash. & Sugar.

West Between Sec. 7 & 18.

" Corners.

T. 30 N. R. 10 E. 2nd Mer. Indiana.

27

- 10.00 A Beech 18 in' diam.  
 110.00 Set a g. Sec post from which  
 a Beech 15 in' diam. bears East 45 links dist. &  
 a " " " " N. 50 W. 25 " "  
 60 35 A Beech 20 " "  
 79.40 Intersect the West Boundary 88 links South  
 of the Post. Set a Post cor. to Sec. 7 & 18 from which  
 an Ash 24 in' diam. bears S. 81 E. 33 links dist. &  
 a Buckeye 12 " " " S. 83 W. 15 " "  
 Land level 2nd rate. Timber. Beech. Ash  
 Elm. & Underg. Spice Ash &c.

- East On Random between Sec. 8 & 17  
 40.00 Set a Temp. 40 g. Sec post  
 81 40 Intersect the N. & S. line 15 links S. of the Post.  
 Land level 42nd rate. Timber. Beech. Ash &  
 Oak. Underg. Spice & P. Ash.

- West Corrected between Sec. 8 & 17  
 40 70 Set a Post as a cor. dist. from which  
 an Ash 24 in' diam. bears N. 33 W. 12 links dist. &  
 a Beech 5 " " " S. 10 E. 4 " "  
 81. 40 To Sec Corner.

- North Between Sec. 8 & 9  
 24.30 A Maple 15 in' diam. & swamp  
 34.00 Left same  
 40.00 Set a g. Sec post from which  
 a W. Oak 24 in' diam. bears N. 42 W. 30 links dist. &  
 a B. Oak 7 " " " S. 18 E. 31 " "  
 47.50 To Pond  
 50 50 Left same A W. Oak 10 in' diam.  
 67.50 To Swamp  
 70.50 Left the Swamp  
 80.00 Set a Post Cor. to Sec. 4. 5. 8 & 9 from which  
 an Ash 12 in' diam. bears S. 27 W. 23 links dist. &

A 4

## T 30 N R 10 E 2nd Mer. Indiana

an Ash 14 in. diam. bears N 3 E 27 links dis.  
Land level 2<sup>nd</sup> rate. Timber Beech & Ash,  
Elm. & Underg<sup>th</sup> Spice & P. Ash.

East On Random between Sec. 4 & 9

40.00 Set a Temp<sup>th</sup> & g<sup>th</sup> See post

80.00 Intersect the N & S line.

Set a post Cor. to Sec. 3, 4, 9 & 10 from which  
a B. Oak 20 in. diam. bears S 84 E 13 links dis. &  
an Ash 5 " " " S 85 W 15 " "  
Land level 3<sup>rd</sup> rate. Timber. Beech S. Ash  
Elm. & Underg<sup>th</sup> Spice & P. Ash.

West Corrected between Sec. 4 & 9 from which

a W. Oak 30 in. diam. bears S 74 E 13 links dis.  
& an Sugar 20 " " " S 55 W 23 " "

80.00 To Sec. Corner

South Between Sec. 9 & 10

13.50 To Pond

17.07 Left same.

17.25 An Elm 30 in. diam.

40.00 Set a g<sup>th</sup> See post from which

an Ash 6 in. diam. bears S 9 E 13 links dis. &  
a Gr 5 " " " N 8 W 38 " "

54.50 A W. Oak 30 in. diam.

63.00 Swamp insuperable obstacle

Land level 2<sup>nd</sup> rate. Timber. S. Ash. Elm.  
Syc. &c. Underg<sup>th</sup> Spice & P. Ash

East On Random between Sec. 3 & 10

40.00 Set a Temp<sup>th</sup> & g<sup>th</sup> See post.

78.40 Intersect the N & S line 175 links North of Pond

Land level 4<sup>th</sup> & 3<sup>rd</sup> rate. Timber. Beech. Ash.  
Oak, Elm. &c. Underg<sup>th</sup> Spice &c.

West Corrected between Sec. 3 & 10  
 39.20 Set a gr. Sec. post at aver. dist. from which  
 an S. Ash 6 in. diam. bears N. 70° W. 8 links dist, &  
 a Maple 12 " " " S. 85° E. 21 " "  
 78.40 To Sec. Corner.

North Between Sec. 3 & 4  
 23.85 Ash 12 in. diam.  
 30.00 To a large Willow Swamp  
 Land level & 3<sup>rd</sup> rate Timber. Buck. S. Ash  
 Buck. & Underg. P. Ash. & Spice.

North Between Sec. 4 & 5  
 35.10 A Poplar 15 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Lynn 10 in. diam. bears N. 11° E. 33 links dist, &  
 a Poplar 40 " " " S. 23° E. 10 " "  
 54.16 A Buck 30 " "  
 59.05 Intersect the North Boundary 5.55 links East  
 of the Post. Set a post cor. to Sec. 4 & 5  
 from which  
 a Buck 20 in. diam. bears N. 53° W. 23 links dist, &  
 a Do 10 " " " S. 15° W. 14 " "  
 Land level 2<sup>nd</sup> rate. Timber. Buck. Ash. Lynn.  
 Underg. Spice & P. Ash.

North Between Sec. 7 & 8  
 27.45 A Lynn 27 in. diam.  
 40.00 Set a gr. Sec. post from which  
 an Ash 30 in. diam. bears N. 54° E. 10 links dist, &  
 a Lynn 5 " " " N. 38° W. 3 " "  
 62.25 A W. Oak 20 & a Swamp  
 65.00 Left the Swamp  
 71.00 To Swamp  
 77.50 Left same  
 80.00 Set post cor. to Sec. 5. 6. 7 & 8 from which



## T. 30 N. R. 10. E. 2nd Mer. Indian

a W. Oak 20 in. diam. bears S. 11 E. 33 links dis. &  
 an Ironwood 5 " " " S. 87 E. 5 " "  
 Land level 2nd rate. Timber. Birch. Maple  
 Oak & Birch &c. Underg<sup>th</sup> Spice &c.  
 P. Ash. Willow & swamps.

East. On Random between Sec. 5 & 8  
 7. 50 To Willen's Swamp  
 12. 51 Leave same  
 40. 01 Set a Sem. post to the post  
 80 95 Intersect the N & S line 4 links South of the Post.  
 Land level 2nd rate. Timber. Birch. Ash & Lym.  
 Underg<sup>th</sup> Spice & Ash.

West. Connected between Sec. 5 & 8  
 40. 47 Set a post at aver. dist. from which  
 a Pecanew 4 in. diam. bears N. 65 W. 7 links dis. &  
 an Ironwood 5 " " " S. 63 E. 11 " "  
 80 95 To the Corner

North. Between Sec. 5 & 6  
 8. 53 At Sycamore  
 40. 00 Set a post to the post from which  
 a Hickory 14 in. diam. bears N. 35 W. 12 links dis.  
 & a " " " " " S. 1 W. 39 " "  
 41. 50 To Swamp  
 45. 50 Left same  
 59. 30 Intersect the North Boundary 5 chains &  
 links East of the Post.  
 Set a post cor. to Sec. 5 & 6 from which  
 an Ash 12 in. diam. bears S. 36 W. 15 links dis. &  
 a W. Oak 7 " " " S. 82 E. 17 " "  
 Land level & 2nd rate. Timber. Birch.  
 S. Ash. Hickory. Lym. &c.

May 27<sup>th</sup> 1828  
 B. Bentley, D. S.

Continuation of the Survey of Tract  
Town N 30. by C. Carter D. S. var. 5<sup>th</sup> 43 E

West On Random between Sec. 24 & 25.

24. 50 A Stream 20 links wide. Course NE  
44. 43 Intersect the NW Boundary 2,13 links South  
of the Post.  
Land rolling 2<sup>nd</sup> rate. Timber. Beech  
Ash. Elm. Sugar, &c. Underg<sup>th</sup> Spice &c.

East Corrected between Sec. 24 & 25

4. 43 Set a g. The post from which  
a Beech 20 in. diam. bears S. 43 W. 17 links dist.  
La Do 10 " " " N. 44 E. 26 " "  
15. 00 A Beech 10 " "  
31. 06 A Do 15 " "  
44. 43 To Sec. Corner

South Between Sec. 25 & 26

5. 21 Set a g. The post from which  
a Buckeye 6 in. diam. bears N. 1 E. 23 links dist. &  
a Beech 18 " " " S. 77 W. 42 " "  
21. 81 A Beech 20 " "  
35. 00 A Stream 15 links wide. Course S. E.  
36. 13 A W Oak 18 in. diam.  
45. 21 Set a Post Cor. to Sec. 25. 26. 33 & 36 from which  
a Hickory 20 in. diam. bears N. 83 E. 31 links dist. &  
a Beech 24 " " " N. 80 W. 12 " "

Var. 4. <sup>th</sup> 10 E.

Land rolling 2<sup>nd</sup> rate. Timber. Beech  
Oak. Ash & Elm. Hickory. Sugar. Lyrn. &c.  
Underg<sup>th</sup> Spice &c.

East On Random between Sec. 25 & 36

2. 00 A Stream 15 links wide. Course S. E.  
16. 50 Same Stream. Course S. E.

81. 31 Intersect the East Boundary 150 links North  
of the Post Var. 5° 45' E.  
Land mostly rolling, Beech timber  
East 1/2 brushy Barrens

West Corrected between Secs 25 & 36

28. 22 A W. Oak 20 in. diam.

41 31 Set a q. Sec. post from which  
a Beech 15 in. diam. bears N. 11 E. 8 links dist. &  
an Ironwood 9 in. " " N. 85 W. 53 " "

50. 02 A Do 8 " "

66. 06 A Beech 18 " "

81. 31 To Sec. Corner

South Between Secs 35 & 36

19. 35 A W. Oak 18 in. diam.

36. 40 A Do 24 " "

40. 07 Set a q. Sec. post from which  
a W. Oak 36 in. diam. bears N. 86 E. 17 links dist. &  
a Sugar 12 " " " N. 13 W. 43 " "

51. 31 A Beech 18 " "

66. 27 A W. Oak 7 " "

82. 08 To Sec. Cor. on Town line

Land rolling & 2<sup>nd</sup> rate. Thinly timbered  
with Oak. A very heavy Undergrowth  
of all kinds of brush.  
var. 4° 10' E.

West On Random between Secs 26 & 35

45 06 Intersect the S. W. Boundary 34 links North  
of the Post.

Land rolling & 2<sup>nd</sup> rate. Timber. Beech  
Oak. Ash. Elm. Sugar, Hickory &c. Undergrowth  
Spice &c.

East Corrected between Secs 26 & 35

5. 06 Set a quarter Sec post from which  
 a Hickory 15 in. diam. bears N 48 E 30 links dist &  
 a Gr. 18 " " " S 59 W 10 " "

20. 23 A Beech 18 " "

31. 45 An Iron wood 5 in. diameter

45 00 To Sec. Corner

North Between Sec. 34 & 35

19. 75 A Beech 24 in. diam.

40. 00 Set a quarter Sec post from which  
 a W. Oak 30 in. diam. bears N. 76 E. 3 links dist &  
 a Gr. 18 " " " N. 38 W. 20 "

44. 50 Intersect the N.W. Boundary & set a Post from which  
 an Ash 14 in. diam. bears N. 51 E. 2.4 links dist &  
 a Walnut 18 " " " N. 76 W. 11 " "

Measured N. 45 E along the N.W. Boundary 2 ch.  
 to the intersection of the exterior line of the  
 same section.

Land rolling 2nd rate. Timber. Beech. Oaks  
 Ash. Elm. Hickory Sugar. Walnut &c.  
 Underg. Spice. &c.

Measured from the Cor. of Sections 25 & 30  
 South along the Range line 27.12 ch. to the S.W.  
 Boundary of Grant N. 54 to Che. pine  
 Set a Post in said Boundary, from which  
 a W. Oak 30 in. diam. bears S 65 E. 106 links dist &  
 a Gr. 4 " " " South 49 " "

Measured thence S 45 W. along the said Boundary  
 69 27 ch. to the West Corner.

Measured from the corner of Sec. 35 & 36 along the  
 Township line East 32.90 to the rear line of the  
 canal Set at post. Measured thence N 48 E.  
 along the rear line of canal lots 5.37 ch. to  
 the S.W. Boundary of Grant N. 54 to Che. pine  
 Set a Post in said Boundary, from which a



## T 30 R 10 E Ind. Min. Indiana

a W. Oak 24 in. diam. bears N 83 E 25 links dist &  
 a Do 20 " " " N. 18 E. 74 " "  
 Measured thence N 45 W along the said Boundary  
 2.15 links to the West Corner.

January 5<sup>th</sup> 1840.

Surveyed by  
 C. Carter D. J.

East On S. boundary of Sec. 34

Beginning at the West Boundary of the reserve of Sec. 34.

- 4.68 At g. sec. post, from which a Beech 36 in. diam. bears N 36 E 43 lks.  
 of a Do. 20 in. diam. bears N 39 W 31 lks. distant,  
 17.41 a Maple 18 in. diam. bears  
 30.00 a Beech 20 " " "  
 44.68 At post Cor. to Sec. 34 of 35, from which a Beech 14 in. diam. bears  
 N 8 W 7 lks. dist. of a Do. 20 in. diam. bears N 85 E 46 lks. dist.  
 Land rolling E. State Beech, Oak, Ash, Elm, Hickory, Sugar,  
 Poplar, Gynm &c. Spruce sundry.

East On S. boundary of Sec. 35

- 10.28 a W. Oak 40 in. diam.  
 25.35 a Hickory 30 " "  
 40.00 At g. sec. post, from which a W. Oak 14 in. diam. bears N 46 W 11  
 lks. dist. of a Do. 30 in. diam. bears N 79 E 39 lks. dist.  
 52.90 an Elm 40 in. diam.  
 66.64 a W. Oak 10 " "  
 80.00 At post Cor. to Sec. 35 of 36, from which a W. Oak 24 in. diam.  
 bears N 57 E 35 lks. dist. of a Do. 36 in. diam. bears N 68 W 49 lks. dist.  
 Land timber &c. Same as on the last mile

East On S. boundary of Sec. 36

- 32.90 At post in rear line of Canal lot, from which a W. Oak 36 in  
 dia. bears N 25 E 42 lks. dist. of a Do. 24 in. dia. bears N 45 W 14 lks. dist.  
 40.00 At g. sec. post, from which a W. Oak 20 in. diam. bears  
 N 77 W 55 lks. dist. of no other tree convenient — Set Post in  
 outer edge of tow path Bank of Canal, no tree convenient  
 84.16 Intersected Range line, set post no trees near of no mound  
 raised, the ground being hard frozen — Measured  
 South on Range line 19.93 to the Cor. of T. 29, 30 N. R. 11 E.  
 Dec. 31. 1839.

T 30 N<sup>o</sup> R 10 E Ind. Mer. Indiana.

35

I do hereby certify that in pursuance of a  
Contract with E. T. Haines Esq<sup>r</sup> Surveyor Gen<sup>l</sup>  
of the United States for the State of Ohio Indiana  
and Michigan, bearing date the 20<sup>th</sup> of April  
1839, and in strict conformity with the Laws  
of the United States and the Instructions  
of the said Surveyor General, I have surveyed  
and subdivided into Sec<sup>s</sup> Township 30<sup>th</sup>  
Fractional North of Range 10 East of the  
Ind. Mer. In the state of Indiana, and I do  
further certify that the foregoing are the  
true and original Field Notes of the said  
survey and subdivisions executed as aforesaid  
Certified this 6<sup>th</sup> day of Jan<sup>y</sup> 1841.

C. Carter

Dep. Surveyor

E. Targher  
Wm. Miller } Chainmen.

I certify that the foregoing transcripts of the  
Field Notes of Township 30<sup>th</sup> North of Range  
10 East of the Ind. Mer. Indiana has been  
compared with the original Notes in this Office  
and found to be correct.

Surveyor General's Office

Cincinnati July 12<sup>th</sup> 1844

William Johnston  
Sur. Gen<sup>l</sup>

Copy